



## Activity Material For Poultry

SUPPLEMENTARY FEED

Version: UK01

# PICKBLOCK ORGANIC

## For organic broilers, poultry rearing, laying hens and turkeys

The hardness of PICKBLOCK ORGANIC is adapted for the use in organic poultry farming.

### Ingredients:

Crude protein	5.5%	Lysine	0.2%
Crude fibre	1.75%	Methionine	0.1%
Crude fat	1.5%	Calcium	10.5%
Crude ash	28%	Phosphorus	0.2%
		Sodium	0.02%

### Composition:

Rye\*, calcium carbonate (limestone and oyster shells), maize\*, dextrose\*, wheat\*, wheat bran\*, cane molasses\*

\* from organic production

### Benefits:

- Ensures an optimal, sustainable activity for poultry
- Enables natural behaviour during feed intake and search
- Promotes mobility and activity
- Supplies additional valuable minerals
- Supports the natural wear of the beak and helps reduce feather-pecking

PICKBLOCK ORGANIC can be used in organic production according to Regulations (EC) No 834 / 2007 and (EC) No 889 / 2008 (produced under the control of inspection body DE-ÖKO-039).

PICKBLOCK ORGANIC is an activity material for poultry in addition to their daily feed ration.

PICKBLOCK ORGANIC can be offered in the scratching area or shed.

### Recommended feeding:

Broilers: 1 block per 150 m<sup>2</sup>. Rearing poultry and laying hens: 1 block per 600-1,000 birds.

Turkeys: 1 block per 400 m<sup>2</sup> of shed area. The feed intake is up to 3g per bird per day. Due to its natural components, PICKBLOCK ORGANIC should be protected from moisture by offering it on a waterproof base rather than placing it directly on the ground.

- 1 block = 5 kg (supplied as 20kg cardboard carton containing four 5kg pickblocks)